



Himalayan Group of Industries

The best pack

Your brand

Can get into.

Pharma Containers



001	022PRG0010
Wt. (gm)	5+/-0.5
Ht. (mm)	55+/-1
B. Dia (mm)	23+/-0.6
O.F.C (ml)	16+/-1.5



002	022PRG0015
Wt. (gm)	5+/-0.5
Ht. (mm)	60.6+/-1
B. Dia (mm)	27.1 ± 1.0
O.F.C (ml)	26+/-1.5



003	025PRG0020
Wt. (gm)	7.5+/-0.5
Ht. (mm)	60.6+/-1
B. Dia (mm)	27.5+/-1.0
O.F.C (ml)	27+/-1.5



004	025PRG0030
Wt. (gm)	7.5+/-0.5
Ht. (mm)	76 ± 1.0
B. Dia (mm)	30.6 ± 1.0
O.F.C (ml)	43 ± 2.0



005	025PBS0030
Wt. (gm)	7.0 ± 0.5
Ht. (mm)	78 ± 1.0
B. Dia (mm)	33 ± 1.0
O.F.C (ml)	43 ± 2.0



006	024FBS0030
Wt. (gm)	4.0 ± 0.5
Ht. (mm)	78 ± 1.0
B. Dia (mm)	31.7 ± 1.0
O.F.C (ml)	43 ± 2.0



007	028PRA0034
Wt. (gm)	6.0 ± 0.5
Ht. (mm)	52.3 ± 0.5
B. Dia (mm)	34 ± 0.5
O.F.C (ml)	34 ± 2.0



008	028PRG0034
Wt. (gm)	6.5 ± 0.5
Ht. (mm)	55.5 ± 0.5
B. Dia (mm)	34 ± 0.5
O.F.C (ml)	34 ± 2.0



009	036FRP0040
Wt. (gm)	11 ± 1.0
Ht. (mm)	69.5 ± 1.0
B. Dia (mm)	44.3 ± 1.0
O.F.C (ml)	82 ± 4.0



010	025PRG0050
Wt. (gm)	10 ± 0.5
Ht. (mm)	85 ± 1.0
B. Dia (mm)	34 ± 1.0
O.F.C (ml)	58 ± 3.0



011	025PRG0060
Wt. (gm)	10 ± 0.5
Ht. (mm)	92 ± 1.0
B. Dia (mm)	36 ± 1.0
O.F.C (ml)	71 ± 3.0



012	025PRC0060
Wt. (gm)	13 ± 1.0
Ht. (mm)	97 ± 1.0
B. Dia (mm)	39 ± 1.0
O.F.C (ml)	81 ± 4.0



013	022PDG0060
Wt. (gm)	10.5 ± 0.8
Ht. (mm)	92 ± 1.0
B. Dia (mm)	36 ± 1.0
O.F.C (ml)	68 ± 3.0



014	022PDS0060
Wt. (gm)	10 ± 0.8
Ht. (mm)	94.5 ± 1.0
B. Dia (mm)	36.8 ± 1.0
O.F.C (ml)	73 ± 3.0



015	025PDG0070
Wt. (gm)	10 ± 0.5
Ht. (mm)	91 ± 1.0
B. Dia (mm)	42 ± 1.0
O.F.C (ml)	85 ± 3.0

**016 025GPL0100**

Wt. (gm)	13 ± 1.0
Ht. (mm)	108 ± 1.0
B. Dia (mm)	43.6 ± 1.0
O.F.C (ml)	120 ± 3.5

**017 025CSP0100**

Wt. (gm)	13 ± 1.0
Ht. (mm)	107 ± 1.0
B. Dia (mm)	43.6 ± 1.0
O.F.C (ml)	120 ± 3.5

**018 025PRG0100**

Wt. (gm)	12.5 ± 0.5
Ht. (mm)	107 ± 1.0
B. Dia (mm)	43.6 ± 1.0
O.F.C (ml)	120 ± 3.5

**019 022PDG0100**

Wt. (gm)	13 ± 0.8
Ht. (mm)	108 ± 1.0
B. Dia (mm)	45 ± 1.0
O.F.C (ml)	122 ± 3.5

**020 025PRH0100 (Safi)**

Wt. (gm)	16 ± 1.0
Ht. (mm)	120.5 ± 1.2
B. Dia (mm)	42.6 ± 1.2
O.F.C (ml)	116 ± 4.0

**021 022PDS0100**

Wt. (gm)	12 ± 1.0
Ht. (mm)	110 ± 1.0
B. Dia (mm)	43.7 ± 1.5
O.F.C (ml)	121 ± 3.5

**022 025PBG0100**

Wt. (gm)	12.5 ± 0.5
Ht. (mm)	128 ± 1.0
B. Dia (mm)	46.2 ± 1.0
O.F.C (ml)	129 ± 3.5

**023 025PMB0100**

Wt. (gm)	12.5 ± 0.5
Ht. (mm)	125.2 ± 1.0
B. Dia (mm)	44.8 ± 1.0
O.F.C (ml)	129 ± 3.5

**024 025PDG0110**

Wt. (gm)	12.5 ± 0.5
Ht. (mm)	107 ± 1.0
B. Dia (mm)	45 ± 1.0
O.F.C (ml)	122 ± 3.0

**025 025PRC0120**

Wt. (gm)	15 ± 1.0
Ht. (mm)	114 ± 1.0
B. Dia (mm)	46 ± 1.0
O.F.C (ml)	144 ± 4.0

**026 025PRG0120**

Wt. (gm)	13 ± 1.0
Ht. (mm)	114 ± 1.0
B. Dia (mm)	46 ± 1.0
O.F.C (ml)	144 ± 4.0

**027 025PFW0120**

Wt. (gm)	18 ± 0.5
Ht. (mm)	130 ± 1.0
B. Dia (mm)	54 ± 1.2
O.F.C (ml)	130 ± 5.0

**028 025PFP0135**

Wt. (gm)	16 ± 0.5
Ht. (mm)	138 ± 1.0
B. Dia (mm)	59 ± 1.0
O.F.C (ml)	146 ± 4.0

**029 025PFG0150**

Wt. (gm)	16 ± 0.5
Ht. (mm)	145 ± 1.0
B. Dia (mm)	57.5 ± 1.0
O.F.C (ml)	160 ± 4.0


**030 025PDG0150**

Wt. (gm)	16 ± 0.5
Ht. (mm)	129.5 ± 1.0
B. Dia (mm)	50.5 ± 1.0
O.F.C (ml)	184 ± 5.0




031 025PRG0170

Wt. (gm)	17 ± 0.5
Ht. (mm)	123.8 ± 1.0
B. Dia (mm)	52 ± 1.2
O.F.C (ml)	196 ± 4.0




032 025PRG0180

Wt. (gm)	24 ± 1.0
Ht. (mm)	127.3 ± 1.0
B. Dia (mm)	52 ± 1.2
O.F.C (ml)	210 ± 4.0



033 025PRG0200

Wt. (gm)	18 ± 0.5
Ht. (mm)	134 ± 1.0
B. Dia (mm)	55 ± 1.2
O.F.C (ml)	240 ± 4.0



034 025PBG0200

Wt. (gm)	18 ± 0.5
Ht. (mm)	153.2 ± 1.2
B. Dia (mm)	58 ± 1.2
O.F.C (ml)	235 ± 4.0



035 025PCR0200

Wt. (gm)	21 ± 1.0
Ht. (mm)	146.5 ± 1.2
B. Dia (mm)	51.8 ± 1.2
O.F.C (ml)	237 ± 4.0



036 025PDG0200

Wt. (gm)	20 ± 1.0
Ht. (mm)	136.5 ± 1.0
B. Dia (mm)	55 ± 1.2
O.F.C (ml)	245 ± 4.0




037 025PFG0200

Wt. (gm)	24 ± 1.0
Ht. (mm)	173 ± 1.2
B. Dia (mm)	55.6 ± 1.2
O.F.C (ml)	222 ± 4.0



038 025PFS0200 (Sachi Saheli)

Wt. (gm)	33.5 ± 1.0
Ht. (mm)	175 ± 1.2
B. Dia (mm)	57 ± 1.2
O.F.C (ml)	238 ± 4.0



039 025PFW0200 (Wheezeal)

Wt. (gm)	24 ± 1.0
Ht. (mm)	160 ± 1.2
B. Dia (mm)	65.5 ± 1.2
O.F.C (ml)	225 ± 7.0




040 025PMB0200

Wt. (gm)	18 ± 0.5
Ht. (mm)	182 ± 1.2
B. Dia (mm)	55 ± 1.2
O.F.C (ml)	260 ± 4.0



041 025PRA0200

Wt. (gm)	19.5 ± 1.0
Ht. (mm)	135.0 - 135.50
B. Dia (mm)	55 ± 0.50
O.F.C (ml)	248 ± 5.0



042 025PRH0200 (Safi)

Wt. (gm)	23 ± 1.0
Ht. (mm)	150.5 ± 1.5
B. Dia (mm)	52 ± 1.5
O.F.C (ml)	222 ± 6.0




043 025PBG0220

Wt. (gm)	18 ± 0.5
Ht. (mm)	156.2 ± 1.2
B. Dia (mm)	57 ± 1.2
O.F.C (ml)	240 ± 4.0



044 025PRA0225 (Hemfer)

Wt. (gm)	22 ± 1.0
Ht. (mm)	173 ± 1.5
B. Dia (mm)	53.05 ± 0.5
O.F.C (ml)	257 ± 5.0



045 038PRP0250

Wt. (gm)	22 ± 1.0
Ht. (mm)	155 ± 2.0
B. Dia (mm)	54 ± 1.0
O.F.C (ml)	265 ± 10



046 025PDG0300

Wt. (gm)	24 ± 1.0
Ht. (mm)	184 ± 1.2
B. Dia (mm)	54.7 ± 1.2
O.F.C (ml)	330 ± 5.0



047 025PRG0400

Wt. (gm)	33.5 ± 1.0
Ht. (mm)	170.5 ± 1.2
B. Dia (mm)	62.5 ± 1.2
O.F.C (ml)	410 ± 5.0



048 025PRG0450

Wt. (gm)	34 ± 1.0
Ht. (mm)	167.2 ± 1.2
B. Dia (mm)	71.9 ± 1.2
O.F.C (ml)	520 ± 6.0



049 025PDG0460

Wt. (gm)	33.5 ± 1.0
Ht. (mm)	190 ± 1.2
B. Dia (mm)	68.6 ± 1.2
O.F.C (ml)	525 ± 6.0



**050 028PFW0500
(Wheezal)**

Wt. (gm)	40 ± 1.0
Ht. (mm)	210.5 ± 1.2
B. Dia (mm)	88 ± 1.2
O.F.C (ml)	545 ± 8.0



051 025PRG0500

Wt. (gm)	33.5 ± 1.0
Ht. (mm)	184 ± 1.2
B. Dia (mm)	68 ± 1.2
O.F.C (ml)	543 ± 8.0




**052 028PRH0500
(Safi)**

Wt. (gm)	34 ± 2.0
Ht. (mm)	200 ± 1.5
B. Dia (mm)	69 ± 1.5
O.F.C (ml)	525 ± 8.0



053 028PDG0680

Wt. (gm)	40 ± 1.0
Ht. (mm)	209.5 ± 1.2
B. Dia (mm)	76 ± 1.2
O.F.C (ml)	720 ± 8.0



054 028PRG1000

Wt. (gm)	40 ± 1.0
Ht. (mm)	236 ± 1.2
B. Dia (mm)	82.5 ± 1.0
O.F.C (ml)	1007 ± 15

FMCG Containers




001	000PSS0000 Base
Wt. (gm)	73 ± 2.0
Ht. (mm)	79 ± 2.0
B. Dia (mm)	208 ± 2
O.F.C (ml)	N.A



002	022FSG0025
Wt. (gm)	5.0 ± 0.5
Ht. (mm)	52.3 ± 0.80
B. Dia. (mm)	28.4 ± 0.80
O.F.C (ml)	25 ± 3.0



003	025FSG0045
Wt. (gm)	7.5 ± 0.5
Ht. (mm)	65 ± 0.80
B. Dia. (mm)	35 ± 0.80
O.F.C (ml)	45 ± 3.0



004	048FRT0100
Wt. (gm)	19 ± 2.0
Ht. (mm)	101 ± 0.90
B. Dia (mm)	58.20 ± 2.0
O.F.C (ml)	190 ± 10



005	032FRA0180
Wt. (gm)	13.3 ± 0.8
Ht. (mm)	136 ± 1.0
B. Dia (mm)	52.0 ± 1.2
O.F.C (ml)	211 ± 4.0



006	053FRT0200
Wt. (gm)	25 ± 1.0
Ht. (mm)	141 ± 1.2
B. Dia (mm)	70 ± 1.0
O.F.C (ml)	420 ± 8.0



007	056FOG0200
Wt. (gm)	26 ± 1.0
Ht. (mm)	143.8 ± 1.0
B. Dia (mm)	74 ± 1.1
O.F.C (ml)	477 ± 11



008	053FSG0200
Wt. (gm)	21 ± 1.0
Ht. (mm)	120 ± 1.0
B. Dia (mm)	67.9 ± 1.2
O.F.C (ml)	407 ± 11



009	028FRA0200
Wt. (gm)	16.4 ± 1.0
Ht. (mm)	165 ± 1.2
B. Dia (mm)	47 ± 0.6
O.F.C (ml)	220 ± 4.0




010	038FRK0200
Wt. (gm)	14.5 ± 0.8
Ht. (mm)	143 ± 1.0
B. Dia (mm)	52.0 ± 1.1
O.F.C (ml)	222 ± 4.0



011	038FRG0200
Wt. (gm)	14.5 ± 0.8
Ht. (mm)	136.5 ± 1.0
B. Dia (mm)	51.5 ± 1.1
O.F.C (ml)	212 ± 4.0



012	056FSG0250
Wt. (gm)	20 ± 1.0
Ht. (mm)	86 ± 1.0
B. Dia (mm)	60.8 ± 1.0
O.F.C (ml)	235 ± 8.0



013	053FRP0250
Wt. (gm)	25 ± 1.0
Ht. (mm)	146 ± 1.0
B. Dia (mm)	79 ± 1.0
O.F.C (ml)	560 ± 10



014	053FSH0260
Wt. (gm)	21 ± 1.0
Ht. (mm)	145 ± 1.0
B. Dia (mm)	67.9 ± 1.2
O.F.C (ml)	500 ± 10



015	062FRT0300
Wt. (gm)	53 ± 3.0
Ht. (mm)	152.9 ± 2.6
B. Dia (mm)	79.1 ± 1.1
O.F.C (ml)	510 ± 10

**016 083FOG0450**

Wt. (gm)	45 ± 2.0
Ht. (mm)	179.8 ± 1.2
B. Dia (mm)	100 ± 1.1
O.F.C (ml)	996 ± 15

**017 083FOG0500**

Wt. (gm)	47 ± 2.0
Ht. (mm)	189.8 ± 1.2
B. Dia (mm)	103.26 ± 1.3
O.F.C (ml)	1168 ± 20

**018 083FSG0500**

Wt. (gm)	35 ± 1.0
Ht. (mm)	153 ± 1.0
B. Dia (mm)	83.5 ± 1.2
O.F.C (ml)	859 ± 15

**019 083FSH0500**

Wt. (gm)	35 ± 1.0
Ht. (mm)	152 ± 1.0
B. Dia (mm)	86.3 ± 1.2
O.F.C (ml)	910 ± 15

**020 056FSG0500**

Wt. (gm)	26 ± 1.0
Ht. (mm)	113.6 ± 1
B. Dia (mm)	79.5 ± 1.2
O.F.C (ml)	424 ± 10

**021 083FDG0500**

Wt. (gm)	55 ± 2.0
Ht. (mm)	182 ± 1.2
B. Dia (mm)	100 ± 1.0
O.F.C (ml)	1165 ± 20

**022 083FRP0500**

Wt. (gm)	50 ± 2.0
Ht. (mm)	183 ± 2.0
B. Dia (mm)	97 ± 1.5
O.F.C (ml)	1110 ± 20

**023 074FRT0650**

Wt. (gm)	40 ± 1.0
Ht. (mm)	146 ± 1.0
B. Dia (mm)	84 ± 1.0
O.F.C (ml)	638 ± 8.0

**024 083FRG0700**

Wt. (gm)	55 ± 2.0
Ht. (mm)	122.8 ± 1.0
B. Dia. (mm)	94.5 ± 1.0
O.F.C (ml)	730 ± 10

**025 074FRT0750**

Wt. (gm)	40 ± 1.0
Ht. (mm)	156.5 ± 1.2
B. Dia (mm)	87 ± 1.1
O.F.C (ml)	751 ± 8.0

**026 083FSH1000**

Wt. (gm)	50 ± 2.0
Ht. (mm)	225 ± 2.0
B. Dia (mm)	107.4 ± 1.5
O.F.C (ml)	1810 ± 50

**027 083FRG1000**

Wt. (gm)	55 ± 2.0
Ht. (mm)	157.5 ± 1.2
B. Dia (mm)	103 ± 1.0
O.F.C (ml)	1120 ± 20

**028 083FSP1000**

Wt. (gm)	45 ± 1.0
Ht. (mm)	113 ± 1.0
B. Dia (mm)	99 ± 1.2
O.F.C (ml)	815 ± 10

**029 083FRT1200**

Wt. (gm)	68 ± 1.0
Ht. (mm)	188 ± 1.2
B. Dia (mm)	101 ± 1.0
O.F.C (ml)	1200 ± 15

**030 083FRZ1300**


Wt. (gm)	73 ± 2.0
Ht. (mm)	196 ± 1.5
B. Dia. (mm)	103.8 ± 1.2
O.F.C (ml)	1300 ± 15



031	FOS1400
Wt. (gm)	91 ± 3.0
Ht. (mm)	173 ± 2.0
B. Dia (mm)	121.42 ± 1.5
O.F.C (ml)	1440 ± 40



032	083FRG1700
Wt. (gm)	55 ± 2.0
Ht. (mm)	194.5 ± 1.2
B. Dia (mm)	113.5 ± 1.0
O.F.C (ml)	1740 ± 20



033	083FSG1800
Wt. (gm)	55 ± 2.0
Ht. (mm)	186 ± 1.2
B. Dia (mm)	113 ± 1.0
O.F.C (ml)	1800 ± 40



034	083FRC1800
Wt. (gm)	35 ± 1.0
Ht. (mm)	213 ± 1.5
B. Dia (mm)	115.5 ± 1.2
O.F.C (ml)	1880 ± 40



035	083FSH2000
Wt. (gm)	73 ± 2.0
Ht. (mm)	270 ± 2.0
B. Dia (mm)	130 ± 1.5
O.F.C (ml)	3250 ± 65



036	083FRP2000
Wt. (gm)	67 ± 2.0
Ht. (mm)	229 ± 2.0
B. Dia (mm)	120 ± 1.5
O.F.C (ml)	2050 ± 50



037	083FRG2300
Wt. (gm)	55 ± 2.0
Ht. (mm)	224 ± 2.0
B. Dia (mm)	123 ± 1.0
O.F.C (ml)	2300 ± 40



038	100FRC2800
Wt. (gm)	65 ± 2.0
Ht. (mm)	232 ± 1.2
B. Dia. (mm)	2871 ± 25
O.F.C (ml)	222 ± 4.0

Cosmetic Containers



001 020COB0019

Wt. (gm)	4.8 ± 0.5
Ht. (mm)	56 ± 0.9
B. Dia (mm)	36 ± 0.6
O.F.C (ml)	27 ± 1.5



002 020COG0020

Wt. (gm)	7.0 ± 0.5
Ht. (mm)	80.5 ± 0.6
B. Dia (mm)	39 ± 0.5
O.F.C (ml)	50 ± 3.0



003 020CRB0025

Wt. (gm)	9.2 ± 0.4
Ht. (mm)	64 ± 1.0
B. Dia (mm)	32.4 ± 1.0
O.F.C (ml)	28 ± 3.0



004 020COO0030

Wt. (gm)	9.2 ± 0.4
Ht. (mm)	99 ± 1.0
B. Dia (mm)	37.5 ± 1.0
O.F.C (ml)	40 ± 3.0



005 020COK0030

Wt. (gm)	9.0 ± 0.5
Ht. (mm)	85 ± 0.9
B. Dia (mm)	35.55 ± 0.8
O.F.C (ml)	37 ± 2.0



006 020COG0030

Wt. (gm)	7.0 ± 0.5
Ht. (mm)	102.6 ± 1.0
B. Dia (mm)	37.6 ± 0.5
O.F.C (ml)	65 ± 6.0



007 020COP0035

Wt. (gm)	13 ± 0.8
Ht. (mm)	85 ± 1.0
B. Dia (mm)	37 ± 1.0
O.F.C (ml)	38 ± 2.5



008 020COK0040

Wt. (gm)	9.0 ± 0.5
Ht. (mm)	93 ± 1.0
B. Dia (mm)	39.5 ± 1.0
O.F.C (ml)	48 ± 3.0



009 020CRG0050

Wt. (gm)	13 ± 0.8
Ht. (mm)	89.3 ± 1.0
B. Dia (mm)	32 ± 1.0
O.F.C (ml)	54 ± 3.0



010 020CSG0050

Wt. (gm)	13 ± 0.8
Ht. (mm)	85.2 ± 1.0
B. Dia (mm)	30.2 ± 1.0
O.F.C (ml)	56 ± 3.0



011 020CST0050

Wt. (gm)	13 ± 0.8
Ht. (mm)	95.5 ± 1.0
B. Dia (mm)	29.7 ± 1.0
O.F.C (ml)	57 ± 3.0



012 020CSZ0050

Wt. (gm)	11.5 ± 0.8
Ht. (mm)	90 ± 1.0
B. Dia (mm)	29.7 ± 1.0
O.F.C (ml)	57 ± 3.0



013 020COK0050

Wt. (gm)	9.5 ± 0.5
Ht. (mm)	101.17 ± 0.9
B. Dia (mm)	41.8 ± 0.8
O.F.C (ml)	58 ± 2.8



014 025CFH0050

Wt. (gm)	10 ± 0.5
Ht. (mm)	92 ± 1.0
B. Dia (mm)	40 ± 1.0
O.F.C (ml)	63 ± 3.0



015 020CFG0050

Wt. (gm)	9.2 ± 0.40
Ht. (mm)	107 ± 1.0
B. Dia (mm)	39 ± 1.0
O.F.C (ml)	60 ± 3.0

**016 025CFK0050**

Wt. (gm)	10 ± 0.5
Ht. (mm)	103 ± 1.0
B. Dia (mm)	36.5 ± 1.0
O.F.C (ml)	60 ± 3.0

**017 022CFR0050**

Wt. (gm)	10 ± 0.5
Ht. (mm)	99 ± 1.0
B. Dia (mm)	47 ± 1.0
O.F.C (ml)	53 ± 3.0

**018 020CFS0050**

Wt. (gm)	9.2 ± 0.4
Ht. (mm)	105 ± 1.0
B. Dia (mm)	40 ± 1.0
O.F.C (ml)	68 ± 3.0

**019 020CDS0050**

Wt. (gm)	9.2 ± 0.4
Ht. (mm)	96 ± 1.0
B. Dia (mm)	33.6 ± 1.0
O.F.C (ml)	60 ± 3.0

**020 020COG0050**

Wt. (gm)	9.5 ± 0.5
Ht. (mm)	116 ± 1.0
B. Dia (mm)	55 ± 0.5
O.F.C (ml)	130.5 ± 5.0

**021 020CFO0050**

Wt. (gm)	9.2 ± 0.4
Ht. (mm)	98 ± 1.0
B. Dia (mm)	43.5 ± 1.0
O.F.C (ml)	60 ± 3.0

**022 020CFA0050**

Wt. (gm)	9.2 ± 0.4
Ht. (mm)	106 ± 1.0
B. Dia (mm)	36 ± 1.0
O.F.C (ml)	54 ± 3.0

**023 020CRB0050**

Wt. (gm)	9.2 ± 0.4
Ht. (mm)	90 ± 1.0
B. Dia (mm)	34.5 ± 1.0
O.F.C (ml)	57 ± 3.0

**024 020COK0060**

Wt. (gm)	9.5 ± 0.5
Ht. (mm)	106.57 ± 1.0
B. Dia (mm)	44.71 ± 1.0
O.F.C (ml)	70 ± 3.5

**025 020COO0060**

Wt. (gm)	13 ± 0.8
Ht. (mm)	112.5 ± 1.0
B. Dia (mm)	45.5 ± 0.5
O.F.C (ml)	70 ± 4.0

**026 025CFH0100**

Wt. (gm)	13 ± 1.0
Ht. (mm)	135 ± 1.0
B. Dia (mm)	45 ± 1.0
O.F.C (ml)	115 ± 3.0

**027 020CST0100**

Wt. (gm)	13 ± 0.8
Ht. (mm)	122.6 ± 1.0
B. Dia (mm)	35.5 ± 1.0
O.F.C (ml)	115 ± 4.0

**028 020COK0100**

Wt. (gm)	13 ± 0.8
Ht. (mm)	129.8 ± 1.0
B. Dia (mm)	51.92 ± 1.1
O.F.C (ml)	110 ± 4.0

**029 025CFK0100**

Wt. (gm)	13 ± 1.0
Ht. (mm)	129 ± 1.0
B. Dia (mm)	43.6 ± 1.0
O.F.C (ml)	109 ± 3.0

**030 022CFR0100**

Wt. (gm)	13 ± 1.0
Ht. (mm)	133 ± 1.0
B. Dia (mm)	59.5 ± 1.0
O.F.C (ml)	105 ± 3.0

**031 020CSZ0100**

Wt. (gm)	19 ± 1.0
Ht. (mm)	117.6 ± 1.0
B. Dia (mm)	35.5 ± 1.0
O.F.C (ml)	109 ± 4.0

**032 020CFG0100**

Wt. (gm)	13 ± 0.8
Ht. (mm)	137.5 ± 1.0
B. Dia (mm)	45 ± 1.0
O.F.C (ml)	115 ± 4.0

**033 020CFS0100**

Wt. (gm)	13 ± 0.8
Ht. (mm)	139.5 ± 1.2
B. Dia (mm)	46 ± 1.0
O.F.C (ml)	127 ± 3.0

**034 020CFC0100**

Wt. (gm)	13 ± 0.8
Ht. (mm)	138 ± 1.0
B. Dia (mm)	45 ± 0.8
O.F.C (ml)	112 ± 4.0

**035 025CFT0100**

Wt. (gm)	20 ± 1.0
Ht. (mm)	136 ± 1.0
B. Dia (mm)	44 ± 1.0
O.F.C (ml)	106 ± 3.0

**036 020CFA0100**

Wt. (gm)	13 ± 0.8
Ht. (mm)	134.5 ± 1.0
B. Dia (mm)	46 ± 1.0
O.F.C (ml)	104 ± 3.0

**037 020CDH0100**

Wt. (gm)	13 ± 0.8
Ht. (mm)	117.8 ± 1.0
B. Dia (mm)	38 ± 1.0
O.F.C (ml)	107 ± 3.5

**038 020CDG0100**

Wt. (gm)	13 ± 0.8
Ht. (mm)	117.8 ± 1.0
B. Dia (mm)	38 ± 1.0
O.F.C (ml)	107 ± 3.5

**039 020CDS0100**

Wt. (gm)	13 ± 0.8
Ht. (mm)	127.5 ± 1.0
B. Dia (mm)	38 ± 1.0
O.F.C (ml)	110 ± 3.5

**040 028PSG0100**

Wt. (gm)	30 ± 1.0
Ht. (mm)	159 ± 0.8
B. Dia (mm)	45.1 ± 0.7
O.F.C (ml)	250 ± 5.0

**041 024COS0100**

Wt. (gm)	17 ± 0.5
Ht. (mm)	139.9 ± 1.2
B. Dia (mm)	57.2 ± 0.5
O.F.C (ml)	130.3 ± 5.0

**042 020CRB0100**

Wt. (gm)	13 ± 0.8
Ht. (mm)	119.5 ± 1.0
B. Dia (mm)	40.3 ± 1.0
O.F.C (ml)	116 ± 4.0

**043 020CFE0100**

Wt. (gm)	13 ± 0.8
Ht. (mm)	140.5 ± 1.0
B. Dia (mm)	47 ± 1.0
O.F.C (ml)	112 ± 3.0

**044 020CRH0100**

Wt. (gm)	13 ± 0.8
Ht. (mm)	110.5 ± 1.0
B. Dia (mm)	40.3 ± 1.0
O.F.C (ml)	112 ± 4.0

**045 020CFO0100**

Wt. (gm)	13 ± 0.8
Ht. (mm)	127 ± 1.0
B. Dia (mm)	50.2 ± 1.0
O.F.C (ml)	110 ± 4.0

**046 020CFE0120**

Wt. (gm)	13 ± 0.8
Ht. (mm)	145 ± 1.2
B. Dia (mm)	49.5 ± 1.0
O.F.C (ml)	127 ± 3.0

**047 025CFB0120**

Wt. (gm)	18 ± 1.0
Ht. (mm)	116 ± 1.0
B. Dia (mm)	52 ± 1.0
O.F.C (ml)	126 ± 4.0

**048 020CFD0120**

Wt. (gm)	13 ± 0.8
Ht. (mm)	125 ± 1.0
B. Dia (mm)	65 ± 1.0
O.F.C (ml)	140 ± 4.0

**049 020COK0120**

Wt. (gm)	13 ± 0.8
Ht. (mm)	131.5 ± 1.0
B. Dia (mm)	56.5 ± 1.2
O.F.C (ml)	131 ± 5.0

**050 020COO0120**

Wt. (gm)	13 ± 0.8
Ht. (mm)	131.5 ± 1.0
B. Dia (mm)	56.5 ± 1.2
O.F.C (ml)	131 ± 5.0

**051 020COP0120**

Wt. (gm)	13.5 ± 0.8
Ht. (mm)	132 ± 1.0
B. Dia (mm)	62 ± 1.1
O.F.C (ml)	125 ± 5.0

**052 025CFH0200**

Wt. (gm)	18 ± 0.5
Ht. (mm)	149 ± 1.0
B. Dia (mm)	59 ± 1.0
O.F.C (ml)	214 ± 6.0

**053 025CFK0200**

Wt. (gm)	20 ± 1.0
Ht. (mm)	167 ± 1.0
B. Dia (mm)	58 ± 1.0
O.F.C (ml)	212 ± 4.0

**054 028CFR0200**

Wt. (gm)	23.5 ± 1.0
Ht. (mm)	163.5 ± 1.2
B. Dia (mm)	76.9 ± 1.2
O.F.C (ml)	201 ± 6.0

**055 024CSZ0200**

Wt. (gm)	24 ± 1.0
Ht. (mm)	153.2 ± 1.2
B. Dia (mm)	42 ± 1.0
O.F.C (ml)	210 ± 6.0

**056 024CFD0200**

Wt. (gm)	24 ± 1.0
Ht. (mm)	142 ± 1.0
B. Dia (mm)	76 ± 1.0
O.F.C (ml)	220 ± 4.0

**057 025CFT0200**

Wt. (gm)	20 ± 1.0
Ht. (mm)	159.5 ± 1.0
B. Dia (mm)	56.5 ± 0.5
O.F.C (ml)	210 ± 4.0

**058 025CFL0200**

Wt. (gm)	20 ± 1.0
Ht. (mm)	149 ± 1.0
B. Dia (mm)	58.5 ± 1.0
O.F.C (ml)	212 ± 4.0

**059 024CRB0200**

Wt. (gm)	24 ± 1.0
Ht. (mm)	148.5 ± 1.2
B. Dia (mm)	49 ± 1.0
O.F.C (ml)	222 ± 6.0

**060 025CFG0200**

Wt. (gm)	18 ± 0.5
Ht. (mm)	170 ± 1.2
B. Dia (mm)	56 ± 1.0
O.F.C (ml)	224 ± 4.0

**061 020CDS0200**

Wt. (gm)	19 ± 1.0
Ht. (mm)	152 ± 1.2
B. Dia (mm)	47 ± 1.0
O.F.C (ml)	210 ± 5.0

**062 024CRR0300**

Wt. (gm)	29 ± 1.0
Ht. (mm)	166 ± 1.0
B. Dia (mm)	73 ± 1.0
O.F.C (ml)	330 ± 6.0

**063 024COK0300**

Wt. (gm)	29 ± 1.0
Ht. (mm)	169.4 ± 1.2
B. Dia (mm)	76.5 ± 1.2
O.F.C (ml)	321 ± 9.0

**064 024COP0300**

Wt. (gm)	29 ± 1.0
Ht. (mm)	173.3 ± 1.2
B. Dia (mm)	83 ± 1.1
O.F.C (ml)	317 ± 9.0

**065 028CFR0300**

Wt. (gm)	31 ± 1.0
Ht. (mm)	184.8 ± 1.2
B. Dia (mm)	88.4 ± 1.2
O.F.C (ml)	304 ± 4.0

**066 028CFR0500**

Wt. (gm)	40 ± 1.0
Ht. (mm)	201 ± 1.2
B. Dia (mm)	93 ± 1.2
O.F.C (ml)	500 ± 6.0

**067 028CRB0500**

Wt. (gm)	40 ± 2.0
Ht. (mm)	190 ± 1.5
B. Dia (mm)	67.5 ± 1.2
O.F.C (ml)	545 ± 8.0

**068 028CRS0500**

Wt. (gm)	40 ± 1.0
Ht. (mm)	190 ± 1.2
B. Dia (mm)	67.5 ± 1.2
O.F.C (ml)	545 ± 8.0

**069 028CRH0500**

Wt. (gm)	45 ± 5.0
Ht. (mm)	207 ± 1.2
B. Dia (mm)	64 ± 1.2
O.F.C (ml)	545 ± 8.0

Liquor Containers



001 025LCO0090

Wt. (gm)	10 ± 0.5
Ht. (mm)	105 ± 1.0
B. Dia (mm)	53 ± 1.0
O.F.C (ml)	98 ± 3.0



002 025LCO0180

Wt. (gm)	10.8+/-0.5
Ht. (mm)	135.5+/-1.0
B. Dia (mm)	63+/-1.0
O.F.C (ml)	188+/-3.0



003 025LCO0375



















Wt. (gm)	18 ± 1.0
Ht. (mm)	161 ± 1.0
B. Dia (mm)	76.3 ± 1.2
O.F.C (ml)	390 ± 6.0



004 030LFK0750

Wt. (gm)	40.5 ± 2.0
Ht. (mm)	260 ± 1.5
B. Dia (mm)	84 ± 1.2
O.F.C (ml)	779 ± 7.0

Caps & Closures

	<p>001 020CRZ0000</p> <p>Wt. (gm) 1.25 ± 0.15</p> <p>Size (mm) 20</p> <p>Type Talc Twister Cap</p>		<p>002 019CRG0000</p> <p>Wt. (gm) 3.1 ± 0.20</p> <p>Size (mm) 19</p> <p>Type Flip Top Cap</p>		<p>003 024CRG0000</p> <p>Wt. (gm) 4.25 ± 0.25</p> <p>Size (mm) 24</p> <p>Type Flip Top Cap</p>
	<p>004 019CRB0000</p> <p>Wt. (gm) 2.90 ± 0.50</p> <p>Size (mm) 19</p> <p>Type Flip Top Cap</p>		<p>005 024CRB0000</p> <p>Wt. (gm) 5.10 ± 0.20</p> <p>Size (mm) 24</p> <p>Type Flip Top Cap</p>		<p>006 053FRG0000</p> <p>Wt. (gm) 5.0 ± 0.50</p> <p>Size (mm) 53</p> <p>Type Screw Cap</p>
	<p>007 083FRG0000</p> <p>Wt. (gm) 10 ± 1.0</p> <p>Size (mm) 83</p> <p>Type Screw Cap</p>		<p>008 045PSG0000</p> <p>Wt. (gm) 10 ± 1.0</p> <p>Size (mm) 45</p> <p>Type Press Top Cap</p>		<p>009 020CON0000</p> <p>Wt. (gm) 3.8 ± 0.2</p> <p>Size (mm) 20</p> <p>Type Talc Twister Cap</p>
	<p>010 083FRL0000</p> <p>Wt. (gm) 6.0 ± 0.75</p> <p>Size (mm) 83</p> <p>Type Press Top Lid</p>		<p>011 028CRG0000</p> <p>Wt. (gm) 2.5 ± 0.50</p> <p>Size (mm) 20</p> <p>Type Screw Cap</p>		<p>012 032FRG0000</p> <p>Wt. (gm) 1.4 ± 0.10</p> <p>Size (mm) 32</p> <p>Type Screw Cap</p>
	<p>013 036FRP0000</p> <p>Wt. (gm) 3.75 ± 0.50</p> <p>Size (mm) 36</p> <p>Type Screw Cap</p>		<p>014 038FRK0000</p> <p>Wt. (gm) 2.5 ± 0.50</p> <p>Size (mm) 38</p> <p>Type Screw Cap</p>		<p>015 022PRM0000</p> <p>Wt. (gm) 1.1 ± 0.10</p> <p>Size (mm) 22</p> <p>Type Measuring Cup</p>
	<p>016 074FRG0000</p> <p>Wt. (gm) 7.5 ± 0.5</p> <p>Size (mm) 74</p> <p>Type Screw Cap</p>		<p>017 048FRT0000</p> <p>Wt. (gm) 3.0 ± 0.5</p> <p>Size (mm) 48</p> <p>Type Screw Cap</p>		<p>018 062FRT0000</p> <p>Wt. (gm) 5.3 ± 0.5</p> <p>Size (mm) 62</p> <p>Type Screw Cap</p>



019 053FRH0000
Wt. (gm) 4.2 ± 0.5
Size (mm) 53
Type) Screw Cap



020 083FRH0000
Wt. (gm) 11.5 ± 0.8
Size (mm) 83
Type Screw Cap



021 000PSS0000
Wt. (gm) 40 ± 1.0
Size (mm) L 202 W 162
Type Rectangular Lid



022 FOS0000
Wt. (gm) 20 ± 2.0
Size (mm) L 142 W 93
Type Snap On Lid



023 100FRG0000
Wt. (gm) 17.50 ± 1.0
Size (mm) 100
Type Screw Cap



024 020CSB0019
Wt. (gm) 2.20 ± 0.10
Size (mm) 20
Type Square Cap

Sanitizers



001 SGHM0060LF

Wt. (gm)	9.2 ± 0.4
Ht. (mm)	105 ± 1.0
B. Dia (mm)	40 ± 1.0
O.F.C (ml)	68 ± 3.0



002 SGHM0100LF

Wt. (gm)	13 ± 0.8
Ht. (mm)	139.5 ± 1.2
B. Dia (mm)	46 ± 1.0
O.F.C (ml)	127 ± 3.0



003 SLHM0500LF

Wt. (gm)	40 ± 1.0
Ht. (mm)	190 ± 1.2
B. Dia (mm)	67.5 ± 1.2
O.F.C (ml)	545 ± 8.0



004 SLHM5000LF

Wt. (gm)	240 ± 10
Ht. (mm)	285 ± 2.0
B. Dia (mm)	203 ± 1.5
O.F.C (ml)	5225 ± 50